



Environmental Permit

Pollution Prevention and Control Act 1999

Environmental Permitting (England and Wales) Regulations 2016

***Rontec
Tring Service Station
Brook Street
Tring
Hertfordshire
HP23 5ED***

Regulated activity:

Unloading petrol into storage and motor vehicle refuelling at service stations

Permit Number:
DBC/EP/111

Permit Issued By:

Environmental and Community Protection
Environmental Health
Dacorum Borough Council
The Forum
Marlowes
Hemel Hempstead
Hertfordshire
HP1 1DN

Tel: 01442 228000

Email: ecp@dacorum.gov.uk

The address for all correspondence in relation to this Permit

Contents

Introductory note	ii
The installation and description of regulated activities	iii
Permit	1
Operating Conditions	2
Petrol Delivery	2
Incident Reporting	2
Management	2
Best Available Techniques	2
Process Changes	2
Explanatory notes	4
Schedules and tables	
Schedule 1 – Site location plan and premises layout plan	

Permitting history		
Holder	Reference	Date of Issue
Rontec Watford Limited	DBC/EP/111	27 th November 2020
Rontec Watford Limited	DBC/EP/111 – DRAFT#1	23 rd November 2020
Rontec Watford Limited	DBC/EP/111 - DRAFT	12 th November 2020

Introductory Note

These introductory notes are not Environmental Permit conditions, however, they do provide useful information about the Environmental Permitting Regulations:

The following Environmental Permit, 'the permit' is granted by Dacorum Borough Council, 'the regulator', under Regulation 13 of the Environmental Permitting (England and Wales) Regulations 2016 (Statutory Instrument 2016 No. 1154) as amended, 'the EPR' to operate an activity or activities covered by the descriptions in Section 1.2 of Part 2 of Schedule 1 of the EPR 2016, to the extent authorised by the permit.

Conditions within this permit detail Best Available Techniques (BAT) for the management and operation of the installation to prevent, or where that is not practicable, to reduce emissions.

In determining BAT, the operator should pay particular attention to relevant sections of the LAPPC Process Guidance Note (PG 1/14(13) December 2013) and any other relevant guidance. Techniques include both the technology used and the way in which the installation is designed, built, maintained, operated and decommissioned.

Note that the permit requires the submission of certain information to the regulator and in addition the regulator has the power to seek further information at any time under Regulation 61 of the EPR provided that the request is reasonable.

Public Registers

Information relating to permits, including the application, is available on public registers in accordance with the EPR. Certain information may be withheld from the public registers where it is commercially confidential, or if it is in the interest of national security to do so.

Variations to the Permit

The regulator may vary the permit in the future by serving a variation notice on the operator. Should the operator want any of the conditions of the permit to be changed a formal application must be submitted to the regulator (the relevant forms are available from the regulator). The Status Log includes a summary of the permits and variation issued up to that point in time and state whether a consolidated version of the permit has been issued.

Surrender of the permit

Where an operator intends to cease the operation of an installation (in whole or in part), the regulator should be informed in writing. Such notification must include the information specified in regulation 24(3) of the Regulations.

Transfer of the permit or part of the permit

Before the permit can be wholly or partially transferred to another operator, an application to transfer the permit has to be made jointly by the existing and proposed operators. A transfer will not be approved if the regulator is not satisfied that the proposed permit holder will be the person having control over the operation of the installation, or will not comply with the conditions of the transferred permit. In addition, if the permit authorises the operator to carry out a specified waste management activity the transfer will not be approved if the regulator does not consider the proposed permit holder to be a 'fit and proper person' as required by the EPR.

Talking to us

Please quote the permit number if you contact the regulator about this permit. To give a notification under conditions in this permit, the operator should use the contact details on the cover of this permit.

Description of the installation and regulated activity

This description of the installation and the regulated activity are not environmental permit conditions, however, they do provide useful information about the installation and the activities undertaken. It also provides a reference point in relation to any substantial or non-substantial changes.

Rontec Watford Limited is permitted to unload petrol into storage tanks, and to carry out motor vehicle refuelling activities at a service station.

The stationary technical unit comprises the following:

Storage Tanks:

- Tank 1: 35,794 litres (Unleaded)
- Tank 2: 33,201 litres (VP Unleaded)
- Tank 3: 33,201 litres (VP Diesel)
- Tank 4: 26,560 litres (Diesel)

Stage 1b petrol vapour recovery system:

Delivery and vapour return hoses

Vapour recovery system (manifold pipework, vent stacks and pressure vacuum valves), as shown on the site plan in Schedule 1.

The maximum number of tanker compartments that can be unloaded simultaneously is **two including diesel** compartment.

Outline of activity:

Prior to delivery, which is not 'driver controlled', the ullage is checked using an electronic wet stock control system to ensure the amount to be delivered matches the capacity of the storage tank. Mobile tankers delivering fuel are connected to the vapour balancing systems prior to the commencement of the delivery using a vapour recovery hose. Petroleum-laden vapours displaced from the storage tanks during unloading are carried through the vapour recovery hose and are collected in the road tanker. The vapour balancing system incorporates a high-level vent pipe that is fitted with a pressure/vacuum valve to minimise emissions of petrol vapour to the atmosphere during tank breathing. The pressure/vacuum valve also protects the fuel storage tanks from rupture in case of hazardous pressurisation. At the end of the delivery the mobile tanker disconnects from the vapour balancing system, and leaves site. Diesel tanks do not form part of the vapour balancing system. The diesel tanks are vented to their own vent pipes fitted with pressure/vacuum valves separately.

The petroleum throughput at this service station in any 12 month period is declared to be less than the 3,000m³ threshold, so there is no Stage II petrol vapour recovery system.

Permit



Permit Reference Number:
DBC/EP/111

Dacorum Borough Council, 'the regulator' in exercise of its powers under Regulation 13(1) of the Environmental Permitting (England and Wales) Regulations 2016 (S.I. 2016 No.1154) as amended, hereby authorises **Rontec Watford Limited**, 'the operator',

whose company registration number is: 108486

at the following installation:

Rontec
Tring Service Station
Brook Street
Tring
Hertfordshire
HP23 5ED

to carry out the following activities* to the extent authorised by the following paragraphs of Part B of Section 1.2B 'Gasification, Liquefaction and Refining Activities' of Part 2 of Schedule 1 of the EPR 2016 and subject to the conditions of this Permit:

(c) The unloading of petrol into stationary storage tanks at a service station, if the total quantity of petrol unloaded into such tanks at the service station in any 12 month period is likely to be 500m³ or more

This permit shall be subject to replacement, variation or amendment as may be considered appropriate by Dacorum Borough Council, at any time, according to the provisions of Regulation 20 of the EPR 2016.

* This permit is given in relation to the requirement of the Environmental Permitting Regulations. It must not be taken to replace any responsibilities you may have under Workplace Health and Safety legislation. Nothing in this permit grants or implies any consent under the Town and Country Planning Act.

Signed:

Dated this day: 27th November 2020



David Carr (Lead Scientific Officer)
Authorised to sign for Dacorum Borough Council

CONDITIONS

Petrol Delivery:

1. Vapours displaced by the delivery of petrol into storage tanks shall be returned through a vapour-tight connection line to either the mobile container delivering the petrol or a container on the site.
2. Petrol delivery shall only be carried out using the Stage I petrol vapour recovery system and deliveries shall only be made when the system is fully operational.

Incident Reporting:

3. In the event of any incident at the site which could have an impact beyond the site boundary, the operator shall notify the Council by telephone without delay on 01442 228000.

Management:

4. A copy of this permit shall be kept at the permitted installation. All staff who should be aware of its content shall be told where it is kept.
5. All relevant staff shall receive the necessary training and instruction to enable them to comply with the conditions of this permit.
6. The operator shall notify the Council of any changes to the persons nominated in the application as the primary point of contact, and deputy.
7. Maintenance and testing of vapour recovery systems shall be recorded.
8. All records made in compliance with this permit shall be kept in a written or computer log book or by using some other systematic method, and shall be clear and legible. If any entry is amended, a clear statement of the reason for doing so shall be included. Unless otherwise stated in this permit, all records required to be taken shall be kept available for inspection for at least 4 years from the date of its being made. A copy of the manufacturer's instructions referred to in this permit shall be available for inspection on request.

Best available techniques:

9. The best available techniques shall be used to prevent or, where that is not practicable, reduce emissions from the installation in relation to any aspect of the operation of the installation which is not regulated by any other condition of this permit.

Process Changes:

10. If the operator proposes to make a change in operation of the installation, he must, at least 14 days before making the change, notify the regulator in writing. The notification must contain a description of the proposed change in operation. It is not necessary to make such a notification if an application to vary this permit has been made and the application contains a description of the proposed change. In this condition 'change in operation' means a change in the nature or functioning, or an extension, of the installation, which may have consequences for the environment.

11. Where the service station has a throughput of 500m³ or more in any 12-month period and undergoes a major refurbishment, the service station shall fit Stage II controls.

Major refurbishment includes:

- a) Works which provide a cost-effective opportunity to install Stage II controls.
- b) Excavation of a forecourt to replace pipework and dispensers.
- c) Staged replacement of dispensers and pipework should be treated as one refurbishment with Stage II controls fitted during the second refurbishment.

Work that is unlikely to constitute major refurbishment includes:

- d) Refurbishment of buildings.
- e) Repair or replacement of a section of pipework.
- f) Replacement of one or more dispensers without any other works.

End of Conditions

Interpretations and Explanatory Notes

These interpretations and explanatory notes does not form part of your Environmental Permit conditions, however they do provide useful information about the Environmental Permitting Regulations:

In relation to this Permit, the following expressions shall have the following meanings:

<i>“Activity”</i>	An activity listed in Part 2 of Schedule 1 to the EP Regulations which will form part of an EP installation or be a mobile plant
<i>“The EPR / EP Regulation”</i>	Means the Environmental Permitting (England and Wales) Regulations 2016 S.I. 2016 No.1154 (as amended) and words and expressions defined in the EPR shall have the same meanings when used in this Permit save to the extent they are explicitly defined in this Permit.
<i>“Change in Operation”</i>	In relation to an installation or mobile plant, a change in its nature or functioning or an extension, which may have consequences for the environment.
<i>“Enforcement notice”</i>	A notice served by a local authority to enforce compliance with the permit conditions or require remediation of any harm following a breach of any condition.
<i>“Installation”</i>	A stationary technical unit where one or more activities listed in Part 2 of Schedule 1 to the EP Regulations are carried out and any other location on the same site where any other directly associated activities are carried out, and any activities that are technically linked. The terms ‘regulated facility’ and ‘installation’ are, in effect, interchangeable for A(2) and B activities.
<i>“Operator”</i>	The person who has control over the operation of the installation/regulated facility (EP Regulation 7).
<i>“Permit”</i>	A permit granted under EP Regulation 13 by a local authority allowing the operation of an installation subject to certain conditions.
<i>“Pollution”</i>	Any emission as a result of human activity which may be harmful to human health or the quality of the environment, cause offence to any human senses, result in damage to material property, or impair or interfere with amenities and other legitimate uses of the environment (EP Regulation 2(1)).
<i>“Revocation notice”</i>	A notice served by the Regulator under EP regulation 22 revoking all or part of a permit.
<i>“Permitted Installation”</i>	Means the activities and the limits to those activities described in this Permit.
<i>“Monitoring”</i>	Includes the taking and analysis of samples, instrumental measurements (periodic and continual), calibrations, examinations, tests and surveys.
<i>“MCERTS”</i>	Means the Environment Agency’s Monitoring Certification Scheme.
<i>“Fugitive Emission”</i>	Means an emission to air or water (including sewer) from the Permitted installation that is not controlled by an emission limit imposed by a condition of this Permit.
<i>“Regulator”</i>	Means any officer of Dacorum Borough Council who is authorised under Section 108(1) of the Environment Act 1995 to exercise, in accordance with the terms of any such authorisation, any power specified in Section 108(1) of that Act.
<i>“Best Available Techniques (BAT)”</i>	Best available techniques means the most effective and advanced stage in the development of activities and their methods of operation which indicates the practical suitability of particular techniques for providing in principle the basis for emission limit values designed to prevent, and where that is not practical, generally to reduce emissions and the impact on the environment as a whole. For those purposes: "Available techniques" means those techniques which have been developed on a scale which allows implementation in the relevant industrial sector, under economically and technically viable conditions, taking into consideration the cost and advantages, whether or not the techniques are used or produced inside the United Kingdom, as long as they are reasonably accessible to the Operator; "Best" means, in relation to techniques, the most effective in achieving a high general level of protection of the environment as a whole; "Techniques" includes both the technology used and the way in which the installation is designed, built, maintained, operated and decommissioned. Schedule 2 of the Regulations shall have effect in relation to the determination of best available techniques.

Where any condition of this Permit refers to the whole or parts of different documents, in the event of any conflict between the wording of such documents, the document with the most recent publication date shall be taken to be the most appropriate document to be used.

Any person who is aggrieved by the conditions attached to a Permit can appeal to the Secretary of State for Environment, Food & Rural Affairs. Appeals must be received by the Secretary of State no later than 6 months from the date of the decision (the date of the Permit).

Appeals relating to installations in England should be received by the Secretary of State for Environment, Food & Rural Affairs. The address is as follows;

The Planning Inspectorate
Environment Team, Major and Specialist Casework
Room 4/04 – Kite Wing
Temple Quay House
2 The Square
Temple Quay
Bristol, BS1 PN

The appeal must be in the form of a written notice or letter stating that the person wishes to appeal and listing the condition(s) which is/are being appealed against. The following five items must be included;

- (a) A statement of the ground of appeal;
- (b) A copy of any relevant application;
- (c) A copy of any relevant Permit;
- (d) A copy of any relevant correspondence between the person making the appeal (“the appellant”) and the Council;
- (e) A statement indicating whether the appellant wishes the appeal to be dealt with.
 - By a hearing attended by both parties and conducted by an inspector appointed by the Secretary of State;
 - or
 - By both parties sending the Secretary of State written statements of their case (and having the opportunity to comment upon one another’s statements).

At the same time, the notice of appeal and documents (a) and (e) must be sent to the Council, and the person making the appeal should inform the appropriate Secretary of State that this has been done.

- An appeal will not suspend the effect of the conditions appealed against; the conditions must still be complied with.
- In determining an appeal against one or more conditions, the Act allows the Secretary of State in addition to quash any of the other conditions not subject to the appeal and to direct the local authority to either vary any of these conditions or to add new conditions.

Schedules

Schedule 1: Site Location Plan and Premises Layout Plan

